EVERLIGHT EVERLIGHT ELECTRONICS CO., LTD.

Technical Data Sheet

0805 Package Chip LED(0.8mm Height)

17-215UYOC/S530-XX/TR8

Features

- Package in 8mm tape on 7" diameter reel.
- Compatible with automatic placement equipment.
- Compatible with infrared and vapor phase reflow solder process.
- Mono-color type.
- Pb-free.
- RoHS refer to SMD B type SGS report
- The product itself will remain within RoHS compliant version.

Descriptions

- The 17-215 SMD Taping is much smaller than lead frame type components, thus enable smaller board size, higher packing density, reduced storage space and finally smaller equipment to be obtained.
- Besides, lightweight makes them ideal for miniature applications. etc.

Applications

- Automotive: backlighting in dashboard and switch.
- Telecommunication: indicator and backlighting in telephone and fax.
- Flat backlight for LCD, switch and symbol.
- General use.

Device Selection Guide

D. AN			
Part No.	Material	Emitted Color	Lens Color
17-215UYOC/S530-XX/TR8	AlGaInP	Brilliant Orange	Water Clear


http://www.everlight.com


Prepared date: 07-27-2005






Package Outline Dimensions





17-215UYOC/S530-XX/TR8



Notes: The tolerances unless mentioned is ± 0.1 mm ,Unit = mm

http://www.everlight.com Prepared date: 07-27-2005 EVERLIGHT ELECTRONICS CO.,LTD.

Absolute Maximum Ratings (Ta=25°C)

ERLIGHT

17-215UYOC/S530-XX/TR8

	0 \	1			
Parameter	Symbol	Rating	Unit		
Reverse Voltage	VR	5	V		
Forward Current	IF	25	mA		
Operating Temperature	Topr	-40 ~ +85	°C		
Storage Temperature	Tstg	-40~ +90	°C		
Electrostatic Discharge	ESD	2000	V		
Power Dissipation	Pd	60	mW		
Peak Forward Current (Duty 1/10 @1KHz)	IF	60	mA		
Soldering Temperature	Tsol	Reflow Soldering : 260 $^{\circ}$ C for 10 sec. Hand Soldering : 350 $^{\circ}$ C for 3 sec.			

Electro-Optical Characteristics (Ta=25°C)

Parameter	Symbol	ChipRank	Min.	Тур.	Max.	Unit	Unit
Luminous Intensity	Iv	A2	13	33			
		A3	31	48			IF =20mA
		A4	44	66		mcd	
		A5	52	83			
		A6	66	96			
Peak Wavelength	λp			611		nm	IF =20mA
Dominant Wavelength	λd			605		nm	IF =20mA
Spectrum Radiation Bandwidth	$ riangle \lambda$			17		nm	IF =20mA
Viewing Angle	$2 \theta 1/2$		•••••	130		deg	IF =20mA
Forward Voltage	\mathbf{V}_{F}		1.7	2.0	2.4	V	IF =20mA
Reverse Current	Ir				10	μA	V _R =5V

17-215UYOC/S530-XX/TR8



Everlight Electronics Co., Ltd.

http://www.everlight.com

Rev. 2


Device No.:SZ DSE-175-014

Prepared date: 07-27-2005

Prepared by: Wu xiaowei

Page: 3 of 9

Typical Electro-Optical Character



Everlight Electronics Co., Ltd. Device No.:SZ DSE-175-014 http://www.everlight.com Prepared date: 07-27-2005 Rev. 2 Page: 4 of 9 Prepared by: Wu xiaowei

EVERLIGHT EVERLIGHT ELECTRONICS CO., LTD.


17-215UYOC/S530-XX/TR8

Label explanation

- **CAT: Luminous Intensity Rank**
- HUE: Dom. Wavelength Rank
- **REF: Forward Voltage Rank**




Reel Dimensions



Note: The tolerances unless mentioned is ± 0.1 mm ,Unit = mm


http://www.everlight.com Prepared date: 07-27-2005

Carrier Tape Dimensions: Loaded quantity 3000 PCS per reel



Note: The tolerances unless mentioned is ± 0.1 mm ,Unit = mm

Moisture Resistant Packaging



Everlight Electronics Co., Ltd. Device No.:SZ DSE-175-014 http://www.everlight.com Prepared date: 07-27-2005 Rev. 2 Page: 6 of 9 Prepared by: Wu xiaowei EVERLIGHT ELECTRONICS CO., LTD.

17-215UYOC/S530-XX/TR8

Reliability Test Items And Conditions

The reliability of products shall be satisfied with items listed below. Confidence level : 90%

LTPD: 10%


No.	Items	Test Condition	Test Hours/Cycles	Sample Size	Ac/Re
1	Reflow Soldering	Temp. : 260°C±5°C Min. 5sec.	6 Min.	22 PCS.	0/1
2	Temperature Cycle	H : +100°C 15min ∫ 5 min L : -40°C 15min	300 Cycles	22 PCS.	0/1
3	Thermal Shock	H: +100°C 5min $\int 10 \sec$ L: -10°C 5min	300 Cycles	22 PCS.	0/1
4	High Temperature Storage	Temp. : 100°C	1000 Hrs.	22 PCS.	0/1
5	Low Temperature Storage	Temp. : -40°C	1000 Hrs.	22 PCS.	0/1
6	DC Operating Life	$I_F = 20 \text{ mA}$	1000 Hrs.	22 PCS.	0/1
7	High Temperature / High Humidity	85°C/85% RH	1000 Hrs.	22 PCS.	0/1

Precautions For Use

1. Over-current-proof

Customer must apply resistors for protection, otherwise slight voltage shift will cause big current change (Burn out will happen).

- 2. Storage
 - 2.1 Do not open moisture proof bag before the products are ready to use.
- 2.2 Before opening the package, the LEDs should be kept at 30° C or less and 90%RH or less.
- 2.3 The LEDs should be used within a year.
- 2.4 After opening the package, the LEDs should be kept at 30° C or less and 70% RH or less.
- 2.5 The LEDs should be used within 168 hours (7 days) after opening the package.
- 2.6 If the moisture absorbent material (silica gel) has faded away or the LEDs have exceeded the storage time, baking treatment should be performed using the following conditions.
 Baking treatment : 60±5°C for 24 hours.
- 3. Soldering Condition
- 3.1 Pb-free solder temperature profile




- 3.2 Reflow soldering should not be done more than two times.
- 3.3 When soldering, do not put stress on the LEDs during heating.
- 3.4 After soldering, do not warp the circuit board.

4.Soldering Iron

Each terminal is to go to the tip of soldering iron temperature less than 350° C for 3 seconds within once in less than the soldering iron capacity 25W. Leave two seconds and more intervals, and do soldering of each terminal. Be careful because the damage of the product is often started at the time of the hand solder.

5.Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.



EVERLIGHT ELECTRONICS CO., LTD. Office: No 25, Lane 76, Sec 3, Chung Yang Rd, Tucheng, Taipei 236, Taiwan, R.O.C *Tel:* 886-2-2267-2000, 2267-9936 *Fax:* 886-2267-6244, 2267-6189, 2267-6306 *http://www.everlight.com*

Everlight Electronics Co., Ltd. Device No.:SZ DSE-175-014 http://www.everlight.com Prepared date: 07-27-2005 Rev. 2 Page: 9 of 9

Prepared by: Wu xiaowei